

Refine Search

Search Results -

Terms	Documents
L10 and L11	30

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L12



Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Tuesday, November 01, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>			
<u>L12</u>	l10 and L11	30	<u>L12</u>
<u>L11</u>	l4 same (power or enabl\$5 or disabl\$5)	13176	<u>L11</u>
<u>L10</u>	l7 and L9	112	<u>L10</u>
<u>L9</u>	(request or command or transcation) with L8	2731	<u>L9</u>
<u>L8</u>	assign\$4 with priorit\$4	52287	<u>L8</u>
<u>L7</u>	l4 with L5	3198	<u>L7</u>
<u>L6</u>	l4 same L5	4532	<u>L6</u>
<u>L5</u>	cach\$4	138080	<u>L5</u>
<u>L4</u>	memory near3 ("subsystems" or "banks" or "partitionS" or "regions" or "section" or "areas")	91155	<u>L4</u>
<u>L3</u>	l1 same L2	4	<u>L3</u>
<u>L2</u>	(tun\$4 or adapt\$5) near5 power	111327	<u>L2</u>
<u>L1</u>	memory near2 "subsystems"	2848	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L15 not L13	66

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L16 ▲
▼

Search History

DATE: Tuesday, November 01, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>			
<u>L16</u>	L15 not l13	66	<u>L16</u>
<u>L15</u>	l10 and power	95	<u>L15</u>
<u>L14</u>	L13 not l12	12	<u>L14</u>
<u>L13</u>	l6 and l9 and l11	42	<u>L13</u>
<u>L12</u>	l10 and L11	30	<u>L12</u>
<u>L11</u>	l4 same (power or enabl\$5 or disabl\$5)	13176	<u>L11</u>
<u>L10</u>	l7 and L9	112	<u>L10</u>
<u>L9</u>	(request or command or transcation) with L8	2731	<u>L9</u>
<u>L8</u>	assign\$4 with priorit\$4	52287	<u>L8</u>
<u>L7</u>	l4 with L5	3198	<u>L7</u>
<u>L6</u>	l4 same L5	4532	<u>L6</u>
<u>L5</u>	cach\$4	138080	<u>L5</u>
	memory near3 ("subsystems" or "banks" or "partitionS" or "regions" or		

<u>L4</u>	"section" or "areas")	91155	<u>L4</u>
<u>L3</u>	11 same L2	4	<u>L3</u>
<u>L2</u>	(tun\$4 or adapt\$5) near5 power	111327	<u>L2</u>
<u>L1</u>	memory near2 "subsystems"	2848	<u>L1</u>

END OF SEARCH HISTORY